BILL NO. S-88-12-22

SPECIAL ORDINANCE NO. S-199-88

AN ORDINANCE approving the awarding of Reference #861 by the City of Fort Wayne, Indiana, by and through its Department of Purchasing and Worthington Steel Company for the Water Pollution Control Plant.

NOW, THEREFORE, BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT WAYNE, INDIANA;

SECTION 1. That Reference #861 between the City of Fort Wayne, by and through its Department of Purchasing and Worthington Steel Company for the Water Pollution Control Plant, respectfully for:

> the purchase of ferrous chloride for the Water Pollution Control Plant;

involving a total cost of Seventy-Five Thousand and no/100 Dollars ($75,000.00), all as more particularly set forth in said Reference #861 which is on file in the Office of the Department of Purchasing, and is by reference incorporated herein, made a part hereof, and is hereby in all things ratified, confirmed and approved.

SECTION 2. That this Ordinance shall be in full force and effect from and after its passage and any and all necessary approval by the Mayor.

Councilmember

APPROVED AS TO FORM
AND LEGALITY

J. Timothy McCaulay, City Attorney

REFERENCE NO. 861
WATER POLLUTION CTRL PLANT
LIQUID FERROUS SULFATE/CHLORIDE

DESCRIPTION	BY-PRODUCTS	WORTHINGTON
PRICE LB/DELIVERED	$0.099	$0.0885

INVITATION TO BID
DEPARTMENT OF PURCHASING
CITY OF FORT WAYNE, ALLEN COUNTY, INDIANA
ONE MAIN STREET-ROOM 350
PHONE 219-427-1101

BID OPENING DATE 11-29-88 @ 11:00 AM BID REFERENCE # 861

BIDS SHOULD BE DELIVERED TO DEPARTMENT OF PURCHASING, ROOM 350, CITY-COUNTY BUILDING UP TO 11:00 AM, ON OR BEFORE OPENING DATE.

SEALED BIDS WILL BE OPENED PUBLICLY AT 11:01 AM IN THE BOARD OF WORKS AND SAFETY CONFERENCE ROOM ON THE THIRD FLOOR OF THE CITY-COUNTY BUILDING. "NO LATE BIDS WILL BE ACCEPTED AFTER 11:00 AM FOR ANY REASON WHATSOEVER."

THIS INVITATION FOR BID IS FOR 1989 requirements (700,000 lbs. +/-) of Liquid Ferrous Sulfate and/or Ferrous Chloride

AND REQUESTED BY Water Pollution Control Plant

PLEASE RETURN THIS FORM AND/OR ANY OF THE OTHER FORMS AS REQUESTED AND HI-LIGHTED ON THE SHEET OF CONTENTS WITH YOUR SEALED BID.

THIS BID REQUIRES A X 5% BID BOND OF ALL BIDDERS.
THIS BID REQUIRES A _____ 100% PERFORMANCE BOND OF SUCESSFUL BIDDER(S).

PROMPT PAYMENT DISCOUNTS WILL BE ALLOWED AS FOLLOWS: _____ %
IF PAID WITHIN _____ DAYS.

THE CITY OF FORT WAYNE IS EXEMPT FROM FEDERAL EXCISE AND INDIANA STATE SALES TAX. THE CITY'S INDIANA SALES TAX EXEMPTION CERTIFICATE NUMBER IS 356-001-255 0013, PRICES SHOULD NOT INCLUDE THESE TAXES.

THE EXECUTION HEREOF BY THE BIDDER IS ACCEPTANCE OF ALL TERMS AND CONDITIONS HEREIN AND IN THAT REGARD THE BIDDER AGREES TO BE BOUND BY SAME AND BE BOUND TO THE AMOUNT OF HIS/HER BID FOR A PERIOD OF NINETY (90) DAYS.

FIRM NAME Worthington Steel Company
STREET ADDRESS 350 Lawton Avenue
CITY Monroe, OH 45050
BY _____ PHONE 513/539-9291
REPRESENTATIVE SIGNATURE

Constituent	Concentration (mg/l)
Arsenic	0.10
Barium	2.00
Cadmium	0.70
Chlorine	10.00
Chromium (Hexavalent)	0.50
Chromium (Total)	4.00
Copper	2.00
Cyanide	1.20
Fluoride	0.5
Lead	0.60
Manganese	1.00
Mercury	0.01
Nickel	2.00
Phenol	1.00
Selenium	0.02
Silver	0.30
Sulfide	10.000
Tin	2.00
Zinc	5.00

The above requirements must meet each and every load delivered

PRICE PER POUND DELIVERED $ .0885/pound of iron content per formula

Please see the enclosed chemical analysis on Ferrous Chloride.

Because of the chemical compound of Ferrous Chloride, we cannot meet these requirements.

IVED: 01/07/88 Results by Sample

MPLE ID Add 30% Water By Weight SAMPLE # 03 FRACTIONS: A,B,C

Date & Time Collected not specified Category

	<0.010 mg/L	AS	<1.00 mg/L	BA	<20.0 mg/L	CD	<0.100 mg/L	CN	<0.125 mg/L	CR	76.500 mg/L
6	0.330 mg/L	CU	23.600 mg/L	F	0.74 mg/L	HG	0.0030 mg/L	MN	592.000 mg/L	NI	12.800 mg/L
	<0.050 mg/L	PHNLI	0.130 mg/L	SE	<1.00 mg/L	SN	<0.250 mg/L	SSTUDY	01/11/88 Date Completed	S_IDEI	<4.0 mg/L
	5.340 mg/L										

E 1 HOWARD LABS INC REPORT LAB # 88-01-181

EIVED: 01/07/88 01/13/88 17:58:23

LIENT WORTHINGTON SAMPLES 3
MPANY Worthington Steel Company
ILITY

EPORT Worthington Steel Company
TO 350 Lawton Avenue
Monroe, Ohio 45050

ATTEN John Lawhorn

RK ID Sample of FeCl2
TAKEN Not Indicated
TRANS Delivered
TYPE Aqueous
.O. # DM1729
VOICE under separate cover

PREPARED BY HOWARD LABORATORIES, INC.
3601 South Dixie Drive
P.O. Box 369
Dayton, OH 45449
PHONE 513-294-6856

Jackie G. Webster
CERTIFIED BY

CONTACT J WEBSTER

Enclosed are the results of specified samples submitted for analyses. If you have any questions, please advise. Use the "LAB #" for faster identification.
OHIO EPA CERTIFICATION: CHEMICAL 4074 BACTERIOLOGICAL 857

NOTE: CORRECTED REPORT. The values for silver on all three fractions and the value for lead on fraction 03 have been corrected after repeat analyses of these parameters indicated interferences in the initial analyses reported.

SAMPLE IDENTIFICATION

Straight
Add 10% Water By Weight
Add 30% Water By Weight

HOWARD LABS INC TEST CODES and NAMES used on this report

AG	Silver
AS	Arsenic
BA	Barium
CD	Cadmium
CN	Cyanide
CR	Chromium
CR6	Hexavalent Chromium
CU	Copper
F	Fluoride
HG	Mercury
MN	Manganese
NI	Nickel
PB	Lead
PHNLI	Phenols
SE	Selenium
SN	Tin
SPGR	Specific Gravity
SSTUDY	Special Study
S IDEI	Sulfide
ZN	Zinc

MPLE ID Straight SAMPLE # 01 FRACTIONS: A, B, C
Date & Time Collected not specified Category

	<0.010 mg/L	AS	<1.00 mg/L	BA	<20.0 mg/L	CD	<0.100 mg/L	CN	<0.125 mg/L	CR	91.500 mg/L
6	0.510 mg/L	CU	32.800 mg/L	F	1.12 mg/L	HG	<0.0020 mg/L	MN	869.000 mg/L	NI	14.800 mg/L
	0.076 mg/L	PHNLI	0.265 mg/L	SE	<1.00 mg/L	SN	<0.250 mg/L	SPGR	1.390 @ 25 Degrees C	SSTUDY	01/11/88 Date Completed
IDEI	<4.0 mg/L	ZN	7.060 mg/L								

MPLE ID Add 10% Water By Weight SAMPLE # 02 FRACTIONS: A, B, C
Date & Time Collected not specified Category

	<0.010 mg/L	AS	<1.00 mg/L	BA	<20.0 mg/L	CD	<0.100 mg/L	CN	<0.125 mg/L	CR	85.400 mg/L
6	0.480 mg/L	CU	28.800 mg/L	F	1.08 mg/L	HG	<0.0020 mg/L	MN	761.000 mg/L	NI	14.500 mg/L
	0.062 mg/L	PHNLI	0.230 mg/L	SE	<1.00 mg/L	SN	<0.250 mg/L	SSTUDY	01/11/88 Date Completed	S_IDEI	<4.0 mg/L
	6.180 mg/L										

thington Steel Company

NOTES AND COMMENTS

The symbol < in the body of the report indicates "less than" the number reported has been detected in the sample. For example, <0.010 mg/L Ag indicates that no silver was detected in the sample when analyzed, and that if silver was present below 0.010 mg/L it would not have been detectable. The detection limits reported for the various parameters are based upon instrument sensitivity and the presence of matrix interferences. As an example, the typical detection limit reported for an aqueous sample being analyzed for Arsenic is <0.0025 mg/L. Due to severe matrix interferences in this sample (probably caused by chloride), we are only able to report a detection level of <1.00 mg/L. The samples are spiked with known quantities of the parameters and the resulting analysis must show spike recovery within certain limits for the sample analysis to be considered valid. The detection levels reported are the minimum that could be achieved meeting the spike recovery criteria.

Prescribed by the State Board of Accounts

Form No. 95 (Revised 1987)

BID, OFFER OR PROPOSAL FOR SALE OR LEASE OF MATERIALS

(Defined at I.C. 36-1-2-9.5)
(Please type or print)

Date: 11-22-88

1. Governmental Unit: _____
2. County: _____
3. Bidder (Firm): Worthington Steel Company
   Address: 350 Lawton Avenue
   City/State: Monroe, OH 45050
4. Telephone Number: 513/539-9291
5. Agent of Bidder (If applicable): _____

Pursuant to notices given, the undersigned offers bid(s) to City of Ft. Wayne, IN (Governmental Unit) in accordance with the following attachment(s) which specify the class or item number or description, quantity, unit, unit price and total amount.

The contract will be awarded by classes or items, in accordance with specifications. Any changes or alterations in the items specified will render such bid void as to that class or item. Bidder promises that he has not offered nor received a less price than the price stated in his bid for the materials included in said bid. Bidder further agrees that he will not withdraw his bid from the office in which it is filed. A certified check or bond shall be filed with each bid if required, and liability for breach shall be enforceable upon the contract, the bond or certified check or both as the case may be.

Mike Swan
Signature of Bidder or Agent

BID OFFER OR PROPOSAL

Attach separate sheet listing each item bid based on specifications published by governing body. Following is an example of the bid format:

Class or Item	Quantity	Unit	Description	Unit Price	Amount
1	8,475	Cwt.	Liquid Ferrous Chloride	$8.85/ Cwt.	$75,000.00

NON-COLLUSION AFFIDAVIT

STATE OF INDIANA)
) SS:
_____ COUNTY)

The undersigned bidder or agent, being duly sworn on oath, says that he has not, nor has any other member, representative, or agent of the firm, company, corporation or partnership represented by him, entered into any combination, collusion or agreement with any person relative to the price to be bid by anyone at such letting nor to prevent any person from bidding nor to induce anyone to refrain from bidding, and that this bid is made without reference to any other bid and without any agreement, understanding or combination with any other person in reference to such bidding.

He further says that no person or persons, firms, or corporation has, have or will receive directly or indirectly, any rebate, fee, gift, commission or thing of value on account of such sale.

Worthington Steel Company
Bidder (Firm)

Mike Swan
Signature of Bidder or Agent

Subscribed and sworn to before me this 22nd day of November, 1988.

My Commission Expires: 06-25-89

County of Residence: Montgomery - Ohio

KATHLEEN B. CLATTERBUCK
Notary Public, State of Ohio
My Commission Expires June 25, 1989

Kathleen B. Clatterbuck
Notary Public

Kathleen B. Clatterbuck
Notary Public Printed Name

ACCEPTANCE

There now being sufficient unobligated appropriated funds available, the contracting authority of _____ (Governmental Unit) hereby accepts the terms of the attached bid for classes or items numbered _____ and promises to pay the undersigned bidder upon delivery the price quoted for the materials stipulated in said bid.

Date: _____

Contracting Authority Members:

_____ _____
_____ _____
_____ _____

ATTACHMENT C

CERTIFICATION OF BIDDER/VENDOR

The undersigned, on behalf of **Worthington Steel Company**, does hereby make the following representations to the City of Fort Wayne, Indiana.

WHEREAS, it is acknowledged that the Common Council of the City of Fort Wayne, Indiana, has passed an ordinance condemning the apartheid policies of the country of South Africa;

WHEREAS, Council's ordinance requires that all persons, firms or corporations submitting bids to the City, for goods and services, certify, as part of the bid, that such entity does not support the policies of apartheid in South Africa.

The undersigned states, on behalf of **Worthington Steel Company**, that **Mike Swain** does not support or endorse the policy of apartheid in South Africa.

IN WITNESS WHEREOF, this Certification has been signed this **22nd** day of **November**, 19**88**.

Worthington Steel Company
(Name of Bidder/Vendor)

Mike Swain
(Name and Title of Person Signing)
Mike Swain, General Manager

Read the first time in full and on motion by Burns, seconded by Redd, and duly adopted, read the second time by title and referred to the Committee on City Utilities (and the City Plan Commission for recommendation) and Public Hearing to be held after due legal notice, at the Council Conference Room 128, City-County Building, Fort Wayne, Indiana, on _____, the _____, day of _____, 19____, at _____ o'clock ____.M.,E.S.T.

DATED: 12-13-88

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Read the third time in full and on motion by Burns, seconded by Talarico, and duly adopted, placed on its passage. PASSED ~~LOST~~ by the following vote:

	AYES	NAYS	ABSTAINED	ABSENT
TOTAL VOTES	8			1
BRADBURY	✓			
BURNS	✓			
GiaQUINTA	✓			
HENRY	✓			
LONG				✓
REDD	✓			
SCHMIDT	✓			
STIER	✓			
TALARICO	✓			

DATED: 12-27-88

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Passed and adopted by the Common Council of the City of Fort Wayne, Indiana, as ~~(ANNEXATION)~~ ~~(APPROPRIATION)~~ (GENERAL) (SPECIAL) (ZONING MAP) ORDINANCE ~~RESOLUTION~~ NO. S-199-88 on the 27th day of December, 19 88,

ATTEST: Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

SEAL

Thomas C. Henry
PRESIDING OFFICER

Presented by me to the Mayor of the City of Fort Wayne, Indiana, on the 28th day of December, 19 88 at the hour of 11:00 o'clock A.M.,E.S.T.

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Approved and signed by me this 5th day of January, 19 89, at the hour of 2:50 o'clock P.M.,E.S.T.

PAUL HELMKE, MAYOR

DIGEST SHEET

S. 88-12-22

TITLE OF ORDINANCE: Special

DEPARTMENT REQUESTING ORDINANCE: Purchasing

SYNOPSIS OF ORDINANCE: An ordinance approving the award of Reference No. 861 with respect to the purchase of ferrous chloride for the WPC Plant for 1989. The cost reflects the lowest and most responsible vendor.

EFFECT OF PASSAGE: This is used to remove phosphate from sewage.

EFFECT OF NON-PASSAGE: Fines for violations N.P.D.E.S. permit for the plant.

MONIES INVOLVED: Worthington Steel $ 75000.00+/-

SOURCE OF FUNDING: WPC Plant
Fund Line: 514-533-S154-425A

BILL NO. S-88-12-22

REPORT OF THE COMMITTEE ON CITY UTILITIES

WE, YOUR COMMITTEE ON CITY UTILITIES TO WHOM WAS REFERRED AN (ORDINANCE) ~~(RESOLUTION)~~ approving the awarding of Reference #861 by the City of Fort Wayne, Indiana, by and through its Department of Purchasing and Worthington Steel Company for the Water Pollution Control Plant

HAVE HAD SAID (ORDINANCE) ~~(RESOLUTION)~~ UNDER CONSIDERATION AND BEG LEAVE TO REPORT BACK TO THE COMMON COUNCIL THAT SAID (ORDINANCE) ~~(RESOLUTION)~~

YES		NO
	PAUL M. BURNS CHAIRMAN	
	CHARLES B. REDD VICE CHAIRMAN	
	MARK E. GiaQUINTA	
	SAMUEL J. TALARICO	
	JAMES S. STIER	

CONCURRED IN 12-27-88

Sandra E. Kennedy

Sandra E. Kennedy
City Clerk